

Honwave T20-SE

2.0m Slatted flat floor inflatable

Capacity: 2 persons Engine range: up to 4hp (27kg)

Rigid construction

Reinforced fibreglass transom and seat.

Reinforced tube ends

Tough polymer rear tube ends protect against impacts and scuffing.

Detachable oars

for convenient stowing.

Attention to detail

Top quality fittings including streamlined oar locks, lifting rings and lifelines.

Great stability

Large buoyancy tubes ensure maximum stability and buoyancy.

Premium grade PVC

Two tone Honda exclusive materials for great looks that are built to last.

Complete package

Honwave comes with pump, carry storage bag, seat, oars, manometer, tie rope and repair kit.

Tube protection

Extra-wide exterior rubber strake, ensuring maximum protection.



Inflatable



Engine



Domestic Use

Compact and ultra-light, this slatted-deck inflatable features large buoyancy tubes, ensuring great stability – perfect as a tender, for fishing trips or just great fun for the family.

The slatted floor and 3 chamber tubes makes for easy assembly and it's lightweight and compact enough for single handed launching.

Boat only price
(prices incl. VAT)

Boat + BF2.3SCHU

Honwave T25-SE

2.5m Slatted flat floor inflatable

Capacity: 3 persons Engine range: up to 6hp (34kg)



Rigid construction

Reinforced fibreglass transom and seat.

Attention to detail

Top quality fittings including streamlined oar locks, lifting hooks, handles and lifelines.

Premium grade PVC

Two tone Honda exclusive materials for great looks that are built to last.

Tube protection

Extra-wide exterior rubber strake, ensuring maximum protection.

Reinforced tube ends

Tough polymer rear tube ends protect against impacts and scuffing.

Detachable oars

for convenient stowing.

Great stability

Large buoyancy tubes in ensure maximum stability and buoyancy.

Complete package

Honwave comes with pump, carry storage bag, seat, oars, manometer, tie rope and repair kit.

Inflatable



Engine



Domestic Use

Compact and ultra-light, this slatted-deck inflatable features large buoyancy tubes, ensuring great stability – perfect as a tender, for fishing trips or just great fun for the family.

The slatted floor and 3 chamber tubes makes for easy assembly and it's lightweight and compact enough for single handed launching.

Boat only price
(prices incl. VAT)

Boat + BF2.3SCHU

Boat + BF5SU

Honwave T25-AE

2.5m Aluminium floor + air keel inflatable

Capacity: 3 persons Engine range: up to 6hp (45kg)

Rigid construction

Reinforced fibreglass transom and seat.

Attention to detail

Top quality fittings including streamlined oar locks, lifting hooks, handles and lifelines.

Premium grade PVC

Two tone Honda exclusive materials for great looks that are built to last.

Tube protection

Extra-wide exterior rubber strake, ensuring maximum protection.

Complete package

Honwave comes with pump, carry storage bag, seat, oars, manometer, tie rope and repair kit.

Reinforced tube ends

Tough polymer rear tube ends protect against impacts and scuffing.

Drain valve

Inboard one-way drain valve for fast, efficient bailing.

Detachable oars

for convenient stowing.

Rigid aluminium floor slats

Added durability and a solid feel underfoot. Coded slats allow hassle-free assembly.



Inflatable



Engine



Domestic Use

For serious fun on the water, the T25-AE offers a great combination of durability and stability, yet is compact enough to be stored in a single bag, ready to take anywhere.

The rigid aluminium floor slats give a solid feel underfoot and extra-large buoyancy tubes guarantee stable cruising every time. Honda attention to detail and innovation is evident from transom to bow – even the slats are number coded for hassle-free assembly.

Boat only price
(prices incl. VAT)

Boat + BF2.3SCHU

Boat + BF5SU

Honwave T30-AE

3.0m Aluminium floor + air keel inflatable

Capacity: 4 persons Engine range: up to 15hp (54kg)



Rigid construction

Reinforced fibreglass transom and seat.

Reinforced tube ends

Tough polymer rear tube ends protect against impacts and scuffing.

Attention to detail

Top quality fittings including streamlined oar locks, lifting hooks, handles and lifelines.

Drain valve

Inboard one-way drain valve for fast, efficient bailing.

Detachable oars

for convenient stowing.

Rigid aluminium floor slats

Added durability and a solid feel underfoot. Coded slats allow hassle-free assembly.

Premium grade PVC

Two tone Honda exclusive materials for great looks that are built to last.

Tube protection

Extra-wide exterior rubber strake, ensuring maximum protection.

Complete package

Honwave comes with pump, carry storage bag, seat, oars, manometer, tie rope and repair kit.

Inflatable



Engine



Domestic Use

For serious fun on the water, the Honwave T30-AE offers a great combination of durability and stability with capacity for up to 4 people. The rigid aluminium floor slats give a solid feel underfoot and extra-large buoyancy tubes guarantee stable cruising every time. Honda attention to detail and innovation is evident from transom to bow – even the slats are number coded for hassle-free assembly.

Boat only price
(prices incl. VAT)

Boat + BF2.3SCHU

Boat + BF5SU

Boat + BF8SHU

Boat + BF10SHU

Boat + BF15SHU

Honwave T35-AE

3.5m Aluminium floor + air keel inflatable

Capacity: 5 persons Engine range: up to 20hp (73kg)

Rigid construction
Reinforced fibreglass transom and seat.

2 seat option
A second seat can be added or removed for load-carrying flexibility.

Attention to detail
Top quality fittings including streamlined oar locks, lifting hooks, handles and lifelines.

Premium grade PVC
Two tone Honda exclusive materials for great looks that are built to last.

Tube protection
Extra-wide exterior rubber strake, ensuring maximum protection.

Reinforced tube ends
Tough polymer rear tube ends protect against impacts and scuffing.

Drain valve
Inboard one-way drain valve for fast, efficient bailing.

Detachable oars
for convenient stowing.

Rigid aluminium floor slats
Added durability and a solid feel underfoot. Coded slats allow hassle-free assembly.

Complete package
Honwave comes with pump, carry storage bag, seat, oars, manometer, tie rope and repair kit.

Inflatable
2
Year Warranty
HONDA

Engine
6
Year Warranty*
HONDA
Domestic Use

For serious fun on the water, the Honwave T35-AE offers a great combination of durability and stability with capacity for up to 5 people. The rigid aluminium floor slats give a solid feel underfoot and extra-large buoyancy tubes guarantee stable cruising every time. Honda attention to detail and innovation is evident from transom to bow – even the slats are number coded for hassle-free assembly.

Boat only price
(prices incl. VAT)

Boat + BF5SU

Boat + BF8SHU

Boat + BF10SHU

Boat + BF15SHU

Boat + BF20SHU

Honwave T40-AE

4.0m Aluminium floor + air keel inflatable

Capacity: 7 persons Engine range: up to 30hp (86kg)

Rigid construction
Reinforced fibreglass transom and seat.

2 seat option
A second seat can be added or removed for load-carrying flexibility.

Attention to detail
Top quality fittings including streamlined oar locks, lifting hooks, handles and lifelines.

Premium grade PVC
Two tone Honda exclusive materials for great looks that are built to last.

Tube protection
Extra-wide exterior rubber strake, ensuring maximum protection.

Complete package
Honwave comes with pump, carry storage bag, seat, oars, manometer, tie rope and repair kit.

Reinforced tube ends
Tough polymer rear tube ends protect against impacts and scuffing.

Drain valve
Inboard one-way drain valve for fast, efficient bailing.

Detachable oars
for convenient stowing.

Rigid aluminium floor slats
Added durability and a solid feel underfoot. Coded slats allow hassle-free assembly.

Inflatable
2
Year Warranty
HONDA

Engine
6
Year Warranty*
HONDA
Domestic Use

For serious fun on the water, our largest Honwave – the T40-AE offers a great combination of durability, stability and larger capacity for up to 7 people.

The rigid aluminium floor slats give a solid feel underfoot and extra-large buoyancy tubes guarantee smooth cruising every time. Honda attention to detail and innovation is evident from transom to bow – even the slats are number coded for hassle-free assembly.

Boat only price
(prices incl. VAT)

Boat + BF5SU

Boat + BF8SHU

Boat + BF10SHU

Boat + BF15SHU

Boat + BF20SHU

Honwave T24-IE

2.4m Air V-floor inflatable

Capacity: 3 persons Engine range: up to 6hp (33kg)

Extended trim tabs

Reinforced fibreglass transom with built in trim tabs for exceptional handling.

Reinforced tube ends

Tough polymer rear tube ends protect against impacts and scuffing.

Attention to detail

Top quality fittings including streamlined oar locks, lifting hooks, handles and lifelines.

Detachable oars

for convenient stowing.

Drain valve

Inboard one-way drain valve for fast, efficient bailing.

Great handling and stability

Air V floor for superb stability, turning and a smoother ride.

Premium grade PVC

Two tone Honda exclusive materials for great looks that are built to last.

Tube protection

Extra-wide exterior rubber strake, ensuring maximum protection.

Complete package

Honwave comes with pump, carry storage bag, seat, oars, manometer, tie rope and repair kit.

Inflatable



Engine



Domestic Use

The T24-IE has been designed as the ideal yacht tender – its compact and lightweight packing size will fit neatly into the average boat locker. The revolutionary air V-floor inflatable gives rib-like performance that smooths out even the choppiest waters and ensures maximum stability at virtually any speed. The hull design incorporates extended rear trim pads, for effortless directional agility and earlier planing with smaller engines.

Boat only price
(prices incl. VAT)

Boat + BF2.3SCHU

Boat + BF5SU

Honwave T27-IE

2.7m Air V-floor inflatable

Capacity: 3 persons Engine range: up to 8hp (34kg)

Extended trim tabs

Reinforced fibreglass transom with built in trim tabs for exceptional handling.

Reinforced tube ends

Tough polymer rear tube ends protect against impacts and scuffing.

Attention to detail

Top quality fittings including streamlined oar locks, lifting hooks, handles and lifelines.

Detachable oars

for convenient stowing.

Drain valve

Inboard one-way drain valve for fast, efficient bailing.

Great handling and stability

Air V floor for superb stability, turning and a smoother ride.

Premium grade PVC

Two tone Honda exclusive materials for great looks that are built to last.

Tube protection

Extra-wide exterior rubber strake, ensuring maximum protection.

Complete package

Honwave comes with pump, carry storage bag, seat, oars, manometer, tie rope and repair kit.

Inflatable



Engine



Domestic Use

Light and fast, the revolutionary air V-floor inflatable gives rib-like performance that smooths out even the choppiest waters. The Air V hull design significantly optimises keel performance and ensures maximum stability at virtually any speed. The hull design incorporates extended rear trim pads, for effortless directional agility and additional stern lift, helping the boat to plane with smaller horsepower engines.

Boat only price
(prices incl. VAT)

Boat + BF2.3SCHU

Boat + BF5SU

Boat + BF8SHU

Honwave T32-IE

3.2m Air V-floor inflatable

Capacity: 4 persons Engine range: up to 15hp (39kg)

Inflated trim tabs

Effortless directional agility and additional buoyancy for handling a larger engine.

Attention to detail

Top quality fittings including streamlined oar locks, lifting hooks, handles and lifelines.

Premium grade PVC

Two tone Honda exclusive materials for great looks that are built to last.

Tube protection

Extra-wide exterior rubber strake, ensuring maximum protection.

Complete package

Honwave comes with pump, carry storage bag, seat, oars, manometer, tie rope and repair kit.

Reinforced tube ends

Tough polymer rear tube ends protect against impacts and scuffing.

Detachable oars

for convenient stowing.

Drain valve

Inboard one-way drain valve for fast, efficient bailing.

Great handling and stability

Air V floor for superb stability, turning and a smoother ride.



Inflatable



Engine



Domestic Use

Light and fast, the revolutionary air V-floor inflatable gives rib-like performance that smooths out even the choppiest waters and ensures maximum stability at virtually any speed. The hull design also incorporates inflated rear trim pads, for effortless directional agility and additional stern lift. This has the dual benefit of helping the boat to plane with smaller horsepower engines, as well as providing extra buoyancy for larger engines.

Boat only price
(prices incl. VAT)

Boat + BF2.3SCHU

Boat + BF5SU

Boat + BF8SHU

Boat + BF10SHU

Boat + BF15SHU

Honwave T38-IE

3.8m Air V-floor inflatable

Capacity: 5 persons Engine range: up to 20hp (48kg)

Inflated trim tabs

Effortless directional agility and additional buoyancy for handling a larger engine.

2 seat option

A second seat can be added or removed for load-carrying flexibility.

Premium grade PVC

Two tone Honda exclusive materials for great looks that are built to last.

Tube protection

Extra-wide exterior rubber strake, ensuring maximum protection.

'Shark skin' hull

Slices through the water with less friction and drag, making it quick to get onto the plane and providing sports-like handling.

Complete package

Honwave comes with pump, carry storage bag, seat, oars, manometer, tie rope and repair kit.

Reinforced tube ends

Tough polymer rear tube ends protect against impacts and scuffing.

Attention to detail

Top quality fittings including removable oars with streamlined oar locks, lifting hooks, handles and lifelines.

Drain valve

Inboard one-way drain valve for fast, efficient bailing.

Great handling and stability

Air V hull design for superb stability, turning and a smoother ride.



Inflatable



Engine



Domestic Use

Light and fast, the revolutionary air V-floor inflatable gives rib-like performance that smooths out even the choppiest waters. The T38-IE features a unique 'shark skin' hull material to slice through the water with less friction and drag, making it quick to get onto the plane and providing sports-like handling on the straights and in turns. The Air V hull is designed for maximum stability at virtually any speed, while rear inflated trim pads provide effortless directional agility and additional buoyancy for handling a larger engine.

Boat only price
(prices incl. VAT)

Boat + BF5SU

Boat + BF8SHU

Boat + BF10SHU

Boat + BF15SHU

Boat + BF20SHU